



NV CANN LABS
PROVIDING APT. TO BUSINESS



P.J.L.A. Testing
Accreditation #VT 451

Certificate of Analysis

Powered by Confident Cannabis
2 of 2

Charlottes Sauce

Plant, Flower - Cured
Harvest Process Lot: ; METRC Batch: ; METRC Sample:

Pesticides

Pass

Analyte	LOQ PPM	Limit PPM	Mass PPM	Status
Abamectin	0.020	0.050	<0.020	Pass
Acequinocyl	0.020	4.000	<0.020	Pass
Beta-Cyfluthrin	0.010	4.000	<0.010	Pass
Bifenazate	0.020	15.000	<0.020	Pass
Bifenthrin	0.010	0.050	<0.010	Pass
Cypermethrin	0.010	0.050	<0.010	Pass
Daminozide	0.020	0.050	<0.020	Pass
Dimethomorph	0.020	60.000	<0.020	Pass
Etoazole	0.020	7.000	<0.020	Pass
Fenhexamid	0.020	30.000	<0.020	Pass
Fonicamid	0.020	7.000	<0.020	Pass
Fludioxonil	0.020	0.020	<0.020	Pass
Imidacloprid	0.020	0.050	<0.020	Pass
Myclobutanil	0.020	4.000	<0.020	Pass
Paclobutrazol	0.020	0.050	<0.020	Pass
Piperonyl Butoxide	0.020	10.000	<0.020	Pass
Pyrethrins	0.020	1.000	<0.020	Pass
Quintozene	0.010	0.200	<0.010	Pass
Spinetoram	0.020	1.700	<0.020	Pass
Spinosad	0.020	10.000	<0.020	Pass
Spirotetramat	0.020	10.000	<0.020	Pass
Thiamethoxam	0.020	0.020	<0.020	Pass
Trifloxystrobin	0.020	11.000	<0.020	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Pesticides analyzed by SOP-026/036.

Foreign Matter Notes:

General Notes:

Sample: 1811NVC1283-6525

Strain: Charlottes Sauce

Sample Received: 11/06/2018; Report Created: 11/09/2018



Microbials

Pass

Analyte	Limit CFU/g	Mass CFU/g	Status
Aspergillus flavus		Negative	Pass
Aspergillus fumigatus		Negative	Pass
Aspergillus niger		Negative	Pass
Aspergillus terreus		Negative	Pass
Bile-Tolerant Gram-Negative Bacteria	1000	<20	Pass
Coliforms	100	<20	Pass
E. Coli		Negative	Pass
Salmonella		Negative	Pass
Yeast & Mold	10000	<200	Pass

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed according to SOP-030 (Aerobic Bacteria), SOP-031 (Yeast and Mold), SOP-032 (Enterobacteriaceae), SOP-033 (Coliforms), SOP-033.8-11 (E. coli), SOP-034 (Salmonella). PCR analysis of Aspergillus, E. coli and Salmonella are NOT ISO 17025 accredited.

Heavy Metals

Pass

Analyte	LOQ PPB	Limit PPB	Mass PPB	Status
Arsenic	97.504	2000.000	135.140	Pass
Cadmium	97.504	8200.000	177.847	Pass
Lead	97.504	12000.000	178.627	Pass
Mercury	39.002	400.000	<39.002	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Metals analyzed by SOP-023.

Mycotoxins

Pass

Analyte	LOQ PPB	Limit PPB	Mass PPB	Status
Aflatoxins	4.00	20.00	<4.00	Pass
Ochratoxin A	2.00	20.00	8.80	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Mycotoxins analyzed by SOP-024.

6631 Schuster Street
Las Vegas, NV
(702) 826-2700
<http://www.nvcann.com>

Brenda Shalloo

Brenda Shalloo
Scientific Operations Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All pass limits are as specified in NAC 453A and DPBH Policies. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by NV Cann Labs using valid testing methodologies and a quality system as required by Nevada state law. Values reported relate only to the product tested. NV Cann Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of NV Cann Labs. Uncertainty information is available upon request. pH/Water activity is NOT ISO 17025 accredited.